


邃EAST - [Untitled1:1] The Year Edit Iook Woodow Had ...C.Drafts U 1 Document ID Issue Dat Pages Inventor Current OR Current XR Ratrieval S C P 2 3 4 4 Title F US 6507450 20 20030114 Method of continuously Elliott; Timothy 360/77.08 nnnn B1 US 6487032 J. Cloke; Robert L. recording servo bursts 20021126 360/51 360/46; 23 Computer system ninininin 360/65; 360/77.04 comprising a host conne Servo system for B1 et.al. p r US 6487028 22 20021126 360/25 Sri-Jayantha; S. n n n n n n B1 US 6441981 M. et al. Cloke; Robert disk-flutter in rotatin 360/48; 23 20020827 Disk drive including a 360/51 nin nin nin Leslie et al. Cloke; Robert B1 C US 6411452 360/77.08 360/77.08 recording surface emplo 24 20020625 360/51 Disk drive employing 6 6 6 6 6 ₽. B1 US 6388829 read error tolerant syn High servo sampling Leslie 25 360/60; 20020514 360/48 Nazarian; Ara W. 0 0 0 0 0 0 disk drive with minimum Magnetic disk drive 360/77.08 360/77.03 B1. 2€ E US 6359746 360/75 20020319 Kakekado; Shigeru n cicinic c B1 r: US 6342992 et al. Prater; Walter 384/296 27 20020129 Hard disk drive 360/265.6 c c c c c c B1 US 6339512 actuator_bivot_with_inb Llovd et al. 20020115 360/77.04 360/65; 28 Disk-flutter servo Sri-Jayantha; S. 0 0 0 0 0 360/78.09 360/265.8 control in rotating st Voice coil motor M. et al. Beatty: Paul A. et r US 6310749 360/265.7 29 20011030 actuator vibration isol p T US 6304406 20011016 360/73.03 360/73.01 Douglas; D Brent 30. Rotational vibration r n n n n n B1 US 6278568 compensation using a fi Disk drive employing et al. Cloke: Robert L. 360/51 360/46; 31 20010821 n n n n n n B1 US 6262857 read channel IC with co Disk drive including a 360/77.08 360/46; et al. Hull; Richard 32 20010717 360/51 Þ o o o o o o 360/48; 360/46 William et al. Buch; Bruce D. В1 recording surface emplo 33 E C US 6191906 360/51 20010220 Method for estimating E C C E C E sampling phase from syn r บีริ 6178057 34 20010123 360/51 Kuroda; Takashi et Disk unit and o a a a a a ۲ read/write control meth B1. 35 E C US 6178056 20010123 Disk drive employing 360/46 360/51; Cloke; Robert B1 US 6118604 state variable trao red Constant density servo 360/65 360/77.08; Leslie et al. Duffy: Dennis 36 20000912 o in in o nin information in a disc d 360/78.14 Daniel. E C US 6084738 20000704 360/75 37 Writing servo Duffy; Dennis a o o a o o information to a disc d Method and apparatus Daniel r US 6067202 20000523 360/73.03 318/254; Rowan; Bryan Scott 38 0 0 0 0 0 0 for controlling spindle 318/439: 369/275.3 et_al. Towner; David K. ₽ L US 6046969 20000404 369/47.31 39 Multiple clock tracks n n n n n et al. Hull; Richard W. for erasable and rewrit Disk drive employing p n us 5956196 40 19990921 360/65 360/77.08 ninininin dvnamically reconfigure et al. r US 5946153 360/31; 43 19990831 360/48 Emo; Bruce D. et Information storage o n n o n n disk drive with variabl Multimode frequency synthesizer having high Tracking in hard disk 360/69 327/107; al. g C US 5861766 42 327/105 Baumer; Howard 19990119 n c c n c c A US 5771131 327/148: 360/75 Anthony et al. Pirzadeh: Sean 43 360/77.08 19980623 ole e o ele drive using magnetoresi Contact start/stop disk 360/75 ...A D US 5729399 19980317 r r r r r c l 360/78.04 44 Albrecht; Thomas Ø HAD (*) Cleaning Sig HTML

滋EAST - [Untitled1:1] This view Edit Itom Vindow Hap -67.Drafts Current OR Current XR Retrieval U 1 Document ID Issue Dat Pages Title Inventor 5 C P 3 Method and apparatus US 6067202 20000523 360/73.03 318/254; Rowan; Bryan Scott r r n r r for controlling spindle Multiple clock tracks et al. Towner: David K. 318/439: 369/275.3 r US 6046969 369/47.31 39 20000404 ᄝ Ð o o o o o o et al. Hull; Richard W. for erasable and rewrit r us 5956196 40 19990921 Disk drive employing 360/65 360/77.08 n n n n n n et al. Emo; Bruce D. et dvnamicallv.reconfigure r US 5946153 13 19990831 360/48 360/31; Information storage Ø o o o o o disk drive with variabl Multimode frequency 360/69 327/107; 42 C US 5861766 19990119 327/105 Baumer: Howard E E C E E E ₽. A US 5771131 synthesizer having hid Tracking in hard disk hiah 327/148... 360/75 Anthony et al. Pirzadeh; Sean 43 360/77.08 19980623 0 0 0 0 0 0 drive usino magnetoresi 44 c US 5729399 Contact start/stop disk 360/75 360/78.04 19980317 Albrecht: Thomas 6 6 6 6 6 6 L US 5568331 drive with minimized he Method of head Robert et al. Akagi: Kyo et al. 360/77.07 360/135; 45 19961022 O positioning and magneti Applying an adaptive 360/77.11 360/77.04 US 5550685 19960827 360/77.08 Drouin; David M. 46 E C n o o nio o feed-forward_algorithm 360/51; US 5475540 Gold; Clifford M. 43 19951212 Magnetic data storage 360/48 П " A US 5422760 disk drive with data bl 360/77.08 360/51; Disk drive method using 360/46 19950606 Abbott; William L. 48 in n n n n et al. Moon; Ronald R. zoned data recording an Servo data recovery 360/65. r US 5420730 19950530 360/77.08 49 360/51; r n n n n n A US 5384671 circuit for disk drive. PRML sampled data 360/78.14 360/49; 60 19950124 360/51 Fisher; Kevin D. þ in nonn Г 360/77.08; 360/77.08; channel synchronous ser Disk drive using PRML 360/48 Abbott; William L. US 5345342 19940906 51 Disk drive using synchronous sampling da ----- using PRML 360/46 0 Γ. 00000 A US 5341249 et al. Abbott: William L. 360/39; 52 19940823 Ę O class IV sampling data 360/51; 331/16; et al. Llewellyn: William C US 5329251 331/2 19940712 Multiple biasing E C C E C C 7. D. Hessing; Charles ohase-lock-loops contro Programmable servo 331/17:. A US 5315456 19940524 360/77.08 54 cia a cac E. et al. Hessing; Charles timing generator.... C US 5276564 55 19940104 360/51 360/49; Programmable ₽ start-of-sector pulse q Timing control for PRML 708/3 class IV samoling data 360/77.08 360/46; E. et al. r. US 5258933 19931102 Johnson; Kenneth 56 7 0 0 0 0 0 0 360/51: 360/48; E. et al. King; Francis K. n US 5121280 360/135 19920609 67 Zone servo sector Þ rrrrr format alignment scheme Disk drive head 360/73.03 360/135; r US 4910617 58 19900320 360/78.14 Brunnett; Donald n n n n n n A US 4894734 360/77.05: 360/27 et al. Fischler; Al et positionina servo syste 360/51 59 19900116 Method and apparatus r r r r r r for constant density re EP 590878 360/75 GOLD, CLIFFORD M 60 19940406 Data block sequencing 00000 A2 r: WO 9101554 using ID after embedded ZONE SERVO SECTOR 61 19910207 360/48 KING, FRANCIS K Ŗ o o o o o o FORMAT ALIGNMENT SCHEME V HIS () Gelelle 28 HTML



		Document ID				Title		Current OF	Current XR	Retrieval	Inventor	s	C	p		38
ㅁ	٦. ا	IS	20050120	,		for searchi		360/51	360/29;		Ehrlich, Richard	i n	Г	r	r: i	- 1
▓╆	2	20050013031	20050120			.patternsat for searchi		360/51	360/48		M. Ehrlich, Richard					
∭ਾ	r: U	0.050013030.	20030120			patterns at		500751	:		M.	T.	េ	T:	Li	7: 1
2	r l	IS	20050120	Met	ods	for searchi	ng	360/29	360/48		Ehrlich, Richard	r	г	n	r: 1	- 1
23		2005001302.7				patterns us	ina	: '			M					
ି ନ	г	15	20050120			emodulator	1+4	360/29	360/48		Ehrlich, Richard	Γ	г	T:	L I	٦ [
#	ព	:0050013026. IS	20040701			including m for prevent		360/51	360/77.08		M. Ehrlich, Richard					
993	• • • •	0040125485				control val		100,01	500, 17.00		M.	; F:	t.	C	E I	9 1
٦	ۍ ا	IS	20040701	Meti	ods	for improvi	ng	360/51		1	Ehrlich, Richard	Г	г	г.	r 1	- 1
333	: :/	11114111/5484	20040701			modulation.			360,77,00		M					
P.	ព្	15 1004.012548.3.	20040701			for improvi modulation		360/51	360/77.08	1	Ehrlich, Richard M.	r.	C	0	r:: 0	וְ כּוֹ
F	r Ú		20040701			for detecti		360/51	360/77.08	1	Ehrlich, Richard		r		C I	
823 :	: :7	0040125482		mul	iple	occurrence	sof				м		1	1.:	L2 : 1	.: ! !
P	c ប៊ី	S	20040701			for detecti		360/51	360/77.08		Ehrlich, Richard	5	r	c	F. (o i
34	·:2	UU4U1Z5481	20040701			Loccurrence for prevent		360/39	360/51;		M. Ehrlich, Richard					
F	r: U	0040125479	20040701			control val		.500/55	360/31,		M	C	T.	U.	C 1	7 1
7	ب U	S	20021017			ous detecti		375/340		1	Leis, Michael D.		г			; . -, ; ,
93 1 3	: :2	0020150179				bi-phase co					et al.		<u> </u>			!
F	ال ال		20040518			ting of ser		360/17	360/75		Moran; Patrick et	r	г	n	Ti I	۱ :
1	E		20030211			in disk dr system	T.V.e.S.	360/51	360/46;	·	al. Cloke; Robert L.				·	<u></u>
22 1	: : : : :	:1				ng a host c	onne	1	360/77.08		et al.	Γ.	г	Γ:	r: jî	1
F .	r U	S 6487032	20021126	Comp	uter	system		360/51	360/46;	1	Cloke; Robert L.	r	C.	c i	F 1	- 1
323		:1	20020917			.ngahostc	onne.	275 /261	360/65:	ļ	et al.		ļļ.			
F	r: U		20020917			ous detecti bi-phase co		375/361	360/27; 369/43;		Leis; Michael D. et al.	C	n	T:	$C \mid E$: i (
	င	5 6441981	20020827			ve includin		360/51	360/48;		Cloke; Robert					<u> </u>
X4 .	. • н			reco	rdin	a surface e	molo.		360/77.08		Leslie et al.	1.:	C :	U	ι.: : ξ	. i l
F	m lu		20020625			ve employin		360/51	360/77.08	1	Cloke: Robert	C	r	n	o r	. 1
4	B		20011016			or tolerant ting of ser		360/75	360/17		Leslie Baker; Bill et al			·····		<u>į</u>
9 0 :	: 12	.7	20011010			_based_on_p			500/17		Davet, DITT of 91	· [េ	C	L C	3 1
F	r. U	S 6278568	20010821			ve employin		360/51	360/46;		Cloke; Robert L.		Γ.	_	F .	-
34 3	: 12	. 1				nnel IC wit			360/77.08		et_al	: L.	1	1	1.2 ; 1.	
P	L: n		20010717			ve includin			360/46;		Hull: Richard	Г	г	г	r ir	٠ ,
	B		20010123			o surface e ve employin		360/46	360/48; 360/51;		William et al Cloke: Robert					
Ω1 :	T P	.1	20010123			riable trap			360/65		Leslie et al.	i Fi	r	r.	L: L	۱ :
Þ	r U	S 5862005	19990119	Sync	hron	ous detecti	on	360/27	360/29;		Leis; Michael D.	•	r	F .	C .	
⊙ 1 •			10050606			bi-phase co			360/42		et al.				· · · · ·	
		5 50///bl)	19950606	: :U15k	arı	ve method u	sing	;J0U/46	360/51;	1	Abbott; William L	. : :	г :	- !	<u>ہ : ہم</u>	٠ĺ,

.